

## Page 1 of 1

All amounts are calculated in domestic currency.

---

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID											
PO31962	1	VU-TW/M001	TW Metals								
			M6061T6T0.3125W.0 f 58		4/14/2016	4/12/2016	84.0000		0.0000	0	\$0.00
USD	No		ALUM TUBE .3125 f x .058w m134548		80.0000	PLOU01			0.0000	0	
	2		M6061T6T0.625W.12 f 5		4/14/2016	4/12/2016	48.0000		0.0000	0	\$0.00
	No		6061-T6 RD Tube 0.625 X.125W m134548		48.0000	PLOU01			0.0000	0	
	3		M6061T6T1.000W06 f 5		4/14/2016	4/12/2016	24.0000		0.0000	0	\$0.00
	No		6061T6 RD TUBE 1.00 x .065w m134548		24.0000	PLOU01			0.0000	0	
	4		71401-45		4/14/2016	4/12/2016	1.0000		0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m134548		1.0000	PLOU01			0.0000	0	
Total Received Quantity:											157.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$0.00
Total Balance Due Quantity:											0.0000



O'Neal High-Performance  
Metals Group



# PACKING SLIP

ORDER NO.: 60601757

FROM: CRAN

PAGE 1

CUST NUMBER: 1203820    **NET WGT:** 21.068    REQ.DATE: 04/14/16    CONFIRMED  
SOLD TO:    SHIP TO:  
DART AEROSPACE LTD    DART AEROSPACE LTD  
1270 ABERDEEN ST    1270 ABERDEEN ST  
HAWKSBURY ON    HAWKSBURY ON  
CANADA    CN K6A 1K7    ONTARIO CANADA    CN K6A 1K7

SALESPERSON: DONNA SMALLEY    SHIP BY: 04/08/16  
TERMS: NET 30 DAYS    VIA: COMMON CARRIER  
F.O.B.: SHIPPING POINT    FREIGHT: PREPAID  
CUST ORD NO.: PO31962    RELEASE NO.:  
RECEIVING PHONE:

LINE ITEM DESCRIPTION    WIDTH    LENGTH  
0001 41723 D6061-T6 5/16 OD X .058 WA    12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	84.000 FT	84.000 FT	84.000 FT	4.586	7

PART#: M6061T6T0.3125W.058

\*\* 1 TEST REPORTS REQUIRED \*\*

\*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99    Export License: NLR    Expiration Date: 0/00/00  
PO:49324038 HT:32704387    PC: 7    CUSTOMER QTY: 84.000    UOM FT  
MLT:UNITED STATES    MFG:UNITED STATES    SLB/CL:281022

0002 42588 D6061-T6 5/8 OD X .125 WA    12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	48.000 FT	48.000 FT	48.000 FT	11.082	4

PART#: M6061T6T0.625W.125

\*\* 1 TEST REPORTS REQUIRED \*\*

\*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99    Export License: NLR    Expiration Date: 0/00/00  
PO:49330211 HT:F001858850001    PC: 4    CUSTOMER QTY: 48.000    UOM FT  
MLT:UNITED STATES    MFG:UNITED STATES    SLB/CL:218040

0003 43284 D6061-T6 1 OD X .065 WA    12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	24.000 FT	24.000 FT	24.000 FT	5.400	2

PART#: M6061T6T1.000W065

\*\* 1 TEST REPORTS REQUIRED \*\*

\*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99    Export License: NLR    Expiration Date: 0/00/00

5016-04-11

## THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE  
OF THESE PRODUCTS ARE SET FORTH ON THE  
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



O'Neal High-Performance  
Metals Group



# PACKING SLIP

ORDER NO.: 60601757

FROM: CRAN

PAGE 2

CUST NUMBER: 1203820  
SOLD TO:  
DART AEROSPACE LTD  
1270 ABERDEEN ST  
HAWKESBURY ON  
CANADA  
CN K6A 1K7

NET WGT: 21.068  
REQ.DATE: 04/14/16 CONFIRMED  
SHIP TO:  
DART AEROSPACE LTD  
1270 ABERDEEN ST  
HAWKESBURY ON  
ONTARIO CANADA  
CN K6A 1K7

SALESPERSON: DONNA SMALLEY  
TERMS: NET 30 DAYS  
F.O.B.: SHIPPING POINT  
CUST ORD NO.: PO31962

SHIP BY: 04/08/16  
VIA: COMMON CARRIER  
FREIGHT: PREPAID  
RELEASE NO.:  
RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
PO:49333248	HT:F001924750002	PC: 2	CUSTOMER QTY: 24.000 UOM FT
MLT:UNITED STATES	MFG:UNITED STATES	SLB/CL:218377	

BROKERS KUEHNE AND NAGEL LTD

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B	CARTON	1.000	25.000		12.6000	

1.000 25.000

BY: TW  
RT 000-

UNLOAD TYPE: NONE SPECIFIED

*Sp/bal-11*

DATE SHIPPED \_\_\_\_\_

DATE FILLED \_\_\_\_\_

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE  
OF THESE PRODUCTS ARE SET FORTH ON THE  
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



**TW METALS**  
O'Neal High-Performance  
Metals Group



# PACKING SLIP

ORDER NO.: 60601757

FROM: CRAN

PAGE 3

CUST NUMBER: 1203820 NET WGT:

21.068 REQ.DATE: 04/14/16 CONFIRMED

SOLD TO:

SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN ST

1270 ABERDEEN ST

HAWKESBURY ON

HAWKSBURY ON

CANADA

CN K6A 1K7

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

SHIP BY:

04/08/16

TERMS:

NET 30 DAYS

27 ENGLEHARD DRIVE

F.O.B.:

SHIPPING POINT

MONROE TWP

NJ 08831

CUST ORD NO.:

PO31962

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at [www.twmetals.com](http://www.twmetals.com). MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

## "CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk

Date: 4/07/16

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

# THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.

**CERTIFIED TEST REPORT**

CUSTOMER PURCHASE ORDER NO. 49324038 LINE 001	CUST. ORD. NO. 281022	PRECISION TUBE P/N 24A031250580005
<b>SOLD:</b> TW METALS <b>TO</b> 27 ENGLEHARD DRIVE MONROE TWP, NJ 08831 UNITED STATES		<b>SHIP:</b> TW METALS <b>TO</b> 27 ENGLEHARD DRIVE MONROE TWP, NJ 08831 UNITED STATES

QUANTITY ORD.	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
3000 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P ASTM-B-210-12 AMS-WW-T-700/6B LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3125 +.0030 -.0030 ID WALL .0580 +.0040 -.0040	3300 FT	01/07/15

**MECHANICAL PROPERTIES**

SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)
1	46,473	41,218	15		

TW METALS  
TEST REPORT  
JAN 08 2015  
ACCEPTED BY

**DESTRUCTIVE TESTS**

Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES

**NON-DESTRUCTIVE TESTS**

EDDY CURRENT: PASS

**CHEMICAL COMPOSITION**

ALLOY: 6061	HEAT:	TRACEABILITY #: 32704387							
		RAW MATL VENDOR: PT45444 - Kaiser Aluminum							
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
Min	0.40		0.15		0.80	0.04			Rem.
Max	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL									

OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundry containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).



# KAISER ALUMINUM FABRICATED PRODUCTS


*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
2425 STEVENS DRIVE  
RICHLAND, WA 99352

CUSTOMER PO NUMBER: PT45444		CUSTOMER PART NUMBER: SPIRIT-371850		PRODUCT DESCRIPTION: 5.400 LB/PC .500 LB/-0 LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: 317897	LINE ITEM: 001	SHIP DATE: 11/25/2014	KAISER LOT NUMBER: 50751-284	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 10618.000 LB	QUANTITY: 1933.000 PCS	B/L NUMBER: 004598	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 13.984 FT
SHIP TO:  PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50751-284	0001	0001	19.5	8.7	19.8	N/A	N/A	N/A
50751-284	0001	0002	19.6	9.2	19.6	N/A	N/A	N/A
50751-284	0001	0003	19.3	8.7	20.3	N/A	N/A	N/A
50751-284	0001	0004	19.4	9.0	18.8	N/A	N/A	N/A
50751-284	0001	0005	19.7	9.1	19.3	N/A	N/A	N/A
50751-284	0001	0006	19.7	8.8	18.2	N/A	N/A	N/A
50751-284	0001	0007	19.5	9.3	19.9	N/A	N/A	N/A
50751-284	0001	0008	19.8	9.2	19.2	N/A	N/A	N/A
50751-284	0001	0009	19.2	8.6	19.9	N/A	N/A	N/A
50751-284	0001	0010	19.4	9.1	18.9	N/A	N/A	N/A
50751-284	0001	0011	19.7	8.7	21.4	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F73891	.60	.30	.23	.05	.97	.06	.06	.02	.00	.00	.00	.02	.05
F73885	.60	.30	.23	.05	.97	.06	.05	.02	.00	.00	.00	.01	.02
F73887	.57	.30	.22	.05	.98	.07	.11	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-13 ASTM-B345-11 AMS-QQ-A-200/8 97 (R07) TYPE I  
UNS#A96061 Also conforms to EN 10204 3.1

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

Plant Serial: 00011377  
Kaiser Order Number: 317897  
Line Item: 001

# **KAISER ALUMINUM**

**FABRICATED PRODUCTS**

*Best in Class*

## **CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
2425 STEVENS DRIVE  
RICHLAND, WA 99352

### **CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

JOSEPH AMES, QUALITY MANAGER

*Joseph Ames*

Plant Serial: 00011377  
Kaiser Order Number: 317897  
Line Item: 001

# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49330211-1		CUSTOMER PART NUMBER: 42588		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 218040	LINE ITEM: 001	SHIP DATE: 04/13/2015	KAISER LOT NUMBER: F00185885	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 366.000 LB	QUANTITY: 132.000 PCS	B/L NUMBER: 218440	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00185885	0001	1	45.9	44.0	16.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D39623	.57	.26	.22	.04	1.01	.06	.01	.02	.00	.00	.00	.01	.02

### Applicable Requirements:


Description: OD: 0.6250"; Wall: 0.1250"; Round @  
AMS-4082P AMS-WW-T-700/6B ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.

DAS  
74  
8-39

16/04/16

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).



Plant Serial: 00019096  
Kaiser Order Number: 218040  
Line Item: 001



**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Linda Adkins, Quality Manager

*Linda Adkins*

Plant Serial: 00019096  
Kaiser Order Number: 218040  
Line Item: 001

# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49333248-1		CUSTOMER PART NUMBER: 43284		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 218377	LINE ITEM: 001	SHIP DATE: 07/01/2015	KAISER LOT NUMBER: F00192475	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 776.000 LB	QUANTITY: 288.000 PCS	B/L NUMBER: 219162	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA DAS 16/04/16		

### Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00192475	0001	1	46.4	44.2	14.5	N/A	N/A	N/A
F00192475	0002	1	46.6	45.4	15.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D39896	.59	.34	.21	.05	.93	.08	.05	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 1.0000", Wall: 0.0650", Round @  
AMS-4082P AMS-WW-T-700/6B ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA.  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.



### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).

Plant Serial: 00019758  
Kaiser Order Number: 218377  
Line Item: 001

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL M6061T6  
DATE 11/04/16

PO / BATCH NO 31962/134548

MATERIAL CERT REC'D yes  
QUANTITY RECEIVED 84  
QUANTITY INSPECTED 84  
QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED T.3125X.058W  
THICKNESS RECEIVED T.310 X.053W  
SHEET SIZE ORDERED \_\_\_\_\_  
SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY <u>DAS</u>	SIGNED OFF BY _____		
DATE <u>11/04/16</u>	DATE _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL M6061T6  
DATE 16/04/16

PO / BATCH NO 31962/134548

MATERIAL CERT REC'D yes  
QUANTITY RECEIVED 48'  
QUANTITY INSPECTED 48'  
QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED T.625 X .125W  
THICKNESS RECEIVED T.625 X .120W  
SHEET SIZE ORDERED \_\_\_\_\_  
SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK RECORD RESULTS BELOW				
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY <u>DAS</u>	SIGNED OFF BY _____		
DATE <u>16/04/16</u>	DATE _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL

M6D61T6

DATE

16/04/16

PO / BATCH NO

31962/134548

MATERIAL CERT RECD

yes

QUANTITY RECEIVED

24

QUANTITY INSPECTED

24

QUANTITY REJECTED

THICKNESS ORDERED

1.00X.065W

THICKNESS RECEIVED

1.00X.060W

SHEET SIZE ORDERED

SHEET SIZE RECEIVED

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK  
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY

14  
8-23

SIGNED OFF BY

DATE

16/04/16

DATE

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL \_\_\_\_\_  
DATE \_\_\_\_\_

PO / BATCH NO \_\_\_\_\_

MATERIAL CERT REC'D \_\_\_\_\_  
QUANTITY RECEIVED \_\_\_\_\_  
QUANTITY INSPECTED \_\_\_\_\_  
QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED \_\_\_\_\_  
THICKNESS RECEIVED \_\_\_\_\_  
SHEET SIZE ORDERED \_\_\_\_\_  
SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	N	
CORRECT FINISH	Y	N	
CORROSION	Y	N	
CORRECT GRAIN DIRECTION	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT THICKNESS	Y	N	
PHOTO REQUIRED	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT REF # TO LINK CERT	Y	N	
CORRECT MATERIAL IDENTIFICATION	Y	N	
CORRECT M# ON THE MATERIAL	Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY _____	SIGNED OFF BY _____		
DATE _____	DATE _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO31962

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 1 of 2

**Order From :**

VU-TWM001

TW METALS  
PO BOX 933014  
ALTANTA, GA 31193-3014  
US

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

E-MAILED  
APR 07 2016

**Contact Name**

**Vendor Phone** 585 768 5600

**Ship To Contact**

**Ship To Phone**

**Ship Via:** YRC COLLECT

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms** Net 30

**Currency** USD

**FOB** FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6T0.3125W.058	ALUM TUBE .3125 x .058w	4/14/2016 Yes 4/14/2016		80.00 f 84 FT-	\$2.50	\$200.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$200.00
2	M6061T6T0.625W.125	6061-T6 RD Tube 0.625 X.125W	4/14/2016 Yes 4/14/2016		48.00 f ✓	\$5.15	\$247.20
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$247.20

Note:

4/7/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO31962

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 2 of 2

**Order From :**

VU-TWM001

**Ship To :** DART AEROSPACE LTD

TW METALS  
PO BOX 933014  
ALTANTA, GA 31193-3014  
US

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone** 585 768 5600

**Ship To Contact**

**Ship To Phone**

**Ship Via:** YRC COLLECT

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

FCA - (Free Carrier)

3	M6061T6T1.000W065	6061T6 RD TUBE 1.00 x .065w	4/14/2016	24.00	\$2.96	\$71.04
			Yes	f		
			4/14/2016			

MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING  
AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR  
AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR  
ASTM B241

**Line Total:** \$71.04

4	71401-45	PROCUREMENT QUALITY CLAUSES	4/14/2016	1.00	\$0.00	\$0.00
			No			
			4/14/2016			

Procurement Quality Clauses  
A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

**Line Total:** \$0.00

**PO Total:** \$518.24

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 1

Change Date: 4/7/2016